



Product Service

CERTIFICATE

No. B 013332 0514 Rev. 00

Model(s): PS6R-F24, PS6R-G24, PS6R-J24,
PS9Z-6RM1, PS9Z-6RM2
PS9Z-6RM3, PS9Z-6RM4, PS9Z-6RM5,
PS9Z-6RM6, PS9Z-6RS1

Parameters:

Ratings:
PS6R-F24 Input:100-240Vac, 50/60Hz, 1.4A
Output: 24Vdc, 5A
PS6R-G24 Input:100-240Vac, 50/60Hz, 2.7A
Output: 24Vdc, 10A
PS6R-J24 Input: 100-240Vac, 50/60Hz, 5.5-2.2A
Output: 24Vdc, 20A
PS9Z-6RM1 Input: 24Vdc, 0.5A
Output: 5Vdc, 2A
PS9Z-6RM2 Input: 24Vdc, 0.55A
Output: 12Vdc, 1A
PS9Z-6RM3 Input: 24Vdc, 0.52A
Output: 5Vdc, 1A and -5Vdc, 1A
PS9Z-6RM4 Input: 24Vdc, 0.58A
Output: 15Vdc, 0.4A and -15Vdc, 0.4A
PS9Z-6RM5 Input: 24Vdc, 0.53A
Output: 5Vdc, 1A and 12Vdc, 0.5A
PS9Z-6RM6 Input: 24Vdc, 0.58A
Output: 12Vdc, 0.5A and -12Vdc, 0.5A
PS9Z-6RS1 Output: 24Vdc, 10A
Protection class: I
Overvoltage category: II
Degree of protection: IP20
Ambient temperature: 60°C max. for vertical position only

Remark: When installing/inserting the equipment all requirements of the mentioned test standard must be fulfilled.

Tested according to: EN 60950-1:2006/A2:2013
EN 50178:1997

Production Facility(ies): 024200



ZERTIFIKAT • CERTIFICATE • CERTIFICADO • CERTIFIKAT • 認證書 • CERTIFICATE • CERTIFICATE