



NKCR7.E68961 Auxiliary Devices Certified for Canada

If you notice a change to your NKCR7 Listing Card, click [here](#) to learn more.

[Page Bottom](#)

Auxiliary Devices Certified for Canada

[See General Information for Auxiliary Devices Certified for Canada](#)

IDEC CORP

E68961

6-64 NISHIMIYAHARA 2-CHOME
YODOGAWA-KU, OSAKA 532-0004 JAPAN

Investigated to CAN/CSA C22.2 No. 14-13

Auxiliary Device Open type Contact Blocks Model(s) HW-U, followed by 01 or 10, may be followed by R, may be followed by MAU, may be followed by additional suffixes.

Auxiliary Device Open type Direct Adapter for illuminated models Model(s) HW-GA1N

Auxiliary Device Open type Dummy contact block Model(s) HW-DB

Dual Pushbutton switch Model(s) Type HW, followed by 7, followed by D, followed by any suffixes.

Illuminated Pushbutton Switches Model(s) AYL

Mono-Lever Switch Model(s) Type HW, followed by 1 or 4, followed M, followed by any suffixes.

Pushbutton switch or Illuminated Pushbutton Switch Model(s) Type HW, followed by 1, 2, 3 or 4, followed by B or L, followed by any suffixes.

Pushbutton Switches Model(s) AZN

Selector Pushbutton Switches Model(s) ASBN

Selector Switch Model(s) Type HW, followed by 1, 3 or 4, followed by S, K or R, followed by any suffixes.

Investigated to CAN/CSA C22.2. No. 14-10

AS-interface fail-safe monitors Model(s) SX5A-MBR01, SX5A-MBR02, SX5A-MBR03, SX5A-MBR04

AS-interfaces Model(s) FL1B-CAS2

Auxiliary devices Model(s) HS5L- followed by A, B, C, D, F, G, H, J, DD, VA, VB, VC, VD, VF, VG, VH, VJ, TA, TB, TC, TD, TF, TG, TH, TJ, XA, XB, XC, XD, XF, XG, XH or XJ, followed by 4 or 7Y, maybe followed by 0 or 4, maybe followed by L, maybe followed by 01 to 99, maybe followed by M, SM, SG, SP, SR or SL, maybe followed by any letter, maybe followed by 1, 2 or 3, maybe followed by additional suffixes.

Auxiliary Device: Open type Pilot Lights Model(s) AP22M, followed by 2 or 2T, followed by Q, followed by 3, 4, H, H2, M, M3 or M4, may be followed by any letters and/or numbers

Contact blocks, "CW Series" Model(s) CW-E01, CW-E10

Contact blocks, open type Model(s) HW-S01+, HW-S01R+, HW-S10+, HW-S10R+

Control box enclosures, indoor use only, use with type 4X rated auxiliary devices Model(s) FB Series

Direct adapter LED pilot lights, "CW Series" Model(s) CW-EAQ2, CW-EAQ3, CW-EAQ4, CW-EAQH, CW-EAQM, CW-EAQM4

Direct Adaptor LED pilot lights, complete devices Model(s) CW Series, followed by 1 or 4, followed by P, followed by 1 or 2, followed by E, followed by Q2, Q3, Q4, QH, QM or QM4.+

Enabling switches, grip type Model(s) HE1G, may be followed by -L, followed by 2, followed by 0, 1, 1S, 2, 2S or 11S, followed by M, may be followed by E, B, AB, L, AL or P, may be followed by B, N, 1Y, 1B or 1N, may be followed by Y, B, N, R or W, may be followed by Y, B, N, R or W.

HW Series, contact blocks Model(s) HW, followed by -C or -F, followed by B or L, followed by 0, 1, 2, 3, 4, 5, 6, 7, 8 or 9, followed by 0, 1, 2, 3, 4 or S, may be followed by -xxxxxx (internal tracking), for use with manufacturer's operator units and/or lamps.

Illuminated display lights Model(s) SLD, followed by 30, 44, 48 or 72, followed by manufacturer's control code, followed by 1, 2 or 3, followed by DH6, DH1, DH2, DW2, DHM1, DHM6, DHM2, TH1, TH2, TH12 or TH24, followed by B or N, followed by blank, S or T, followed by R, G, A, Y, W, S, PW or RG.

Illuminated push button switches (panel cutout dimensions-30mm diam), "N/TWN Series" Model(s) AL*N, AOL*N

Illuminated push-button switches, complete devices Model(s) CW Series, followed by 1 or 4, followed by L, followed by M or A, followed by 1 or 2, followed by E, followed by 0, 1 or 2, followed by 0, 1 or 2, followed by Q2, Q3, Q4, QH, QM or QM4.+

LED illuminated display lights, "LH Series" Model(s) LH1D, followed by D2 or H2, may be followed by Z, M or N, followed by L, P or H, followed by Q4, followed by C05, C10, C20, C30 or C50, followed by R, A, W, Y, G, S, PW or ##, may be followed by W.+

LH1D, followed by D3, may be followed by Z, M or N, followed by L, P or H, followed by Q4, followed by C05, C10, C20, C30, C50, CN1 or CN2, followed by R, A, W, Y, G, S, PW or ###, may be followed by W.+

Locking switches, enclosed type Model(s) HS6E-, followed by A, B, C, D, L, M, N, P, DD, DM, DP, VA, VB, VC, VD, VL, VM, VN or VP, followed by 4 or 7Y, may be followed by 0 or 4, may be followed by B or R, maybe followed by 01 thru 99, maybe followed by R, G, A or Y.+

N /TWN Series (panel cutout dimensions-30mm diam) illuminated push button switches Model(s) AOLNE

N/TWN Series (panel cutout dimensions-30mm diam) illuminated push button switches Model(s) ABLN, ALLN, ALN, ALNE, AOLN, ULQN, UOLQN

N/TWN Series (panel cutout dimensions-30mm diam) pilot lights Model(s) APNG, APNGE, UPQN, UPQNE

N/TWN Series (panel cutout dimensions-30mm diam) push button switches Model(s) AB, AO, AT, UB, UO, UT, UW or ABB, may be followed by Q, followed by N.

N/TWN Series (panel cutout dimensions-30mm diam) selector push button switches Model(s) ABN, may be followed by 6, 7 or 9, may be followed by L.

N/TWN Series (panel cutout dimensions-30mm diam) selector switches Model(s) ASN, ASTN

Pilot light units Model(s) HW, may be followed by 1 or 2, may be followed by P, may be followed by 1 or 2, followed by J, followed by Q, RH or CM, may be followed by 0, 2, 3 or 4, may be followed by one to three letters, may be followed by additional letter(s) and/or number(s), including hyphens.

Pilot Light with or without Transformer Model(s) Type HW?P, HW1P-5Q4, HW1P-5Q7.

Pilot lights (panel cutout dimensions-30mm diam), "N/TWN Series" Model(s) APN, APNE

Push button switches Model(s) XN, followed by 4, followed by S, may be followed by B, L or T, followed by L, followed by 4, followed by 0 thru 3, followed by 1 thru 4, may be followed by Q1 thru Q4, followed by M or Mf, followed by R, RH, N, Y, B, G, W or S.

XW1E or XA1E, followed by -BV, -LV or -TV followed by 3 or 4, followed by 0 thru 3, followed by 1 thru 4, may be followed by Q4, Q3, Q2 or Q1, may be followed by V, followed by R, N, Y, B, G, W or S.

Push buttons Model(s) Contact Unit Model XW-C, may be followed by T, followed by 0, 1, or 2, followed by 1, 2, 3, or 4, may be followed by Q4, followed by M, may be followed by R, may be followed by optional letters and/or numbers

XN Series, Model XN, followed by 1, 4, or 5, followed by E, followed by B, L, or T, followed by V, L, or D, followed by 4, or 5, followed by 0, 1, 2, or 3, followed by 1, 2, 3, or 4, may be followed by Q1, Q2, Q3, or Q4, followed by M, or MF, followed by R, R-EMO, RH, RH-EMO, N, Y, B, G, W, or S, may be followed by optional letters and/or numbers

XW Series, Model XW1E, followed by BV, LV, or TV, followed by 3, 4, 5, or 4T, may be followed by G, followed by 0, 1, 2, or 3, followed by 1, 2, 3, or 4, may be followed by Q1, Q2, Q3, or Q4, followed by M, or MF, followed by R, R-EMO, RH, RH-EMO, N, Y, B, G, W, or S, may be followed by optional letters and/or numbers

Push-button switches, complete devices Model(s) CW Series, followed by 1 or 4, followed by B, followed by M or A, followed by 1 or 2, followed by E, followed by 0, 1, 2 or 3, followed by 0, 1, 2 or 3.+

Pushbutton Switches Model(s) AYN

S Series (panel cutout dimensions-25mm diam) illuminated push button switches Model(s) ABLS, ALLS

S Series (panel cutout dimensions-25mm diam) pilot lights Model(s) APS, UPQS

S Series (panel cutout dimensions-25mm diam) push button switches Model(s) ABBS, ATS, UTS

Safety switches Model(s) HS1B+, HS1C+, HS1C-P+, HS1E+, HS1L+, HS1P+, HS2B+, HS2P-1M+, HS5B+, HS5D+, HS6B-02, HS6B-03, HS6B-11, HS6B-12

Selector switches, key selector switches, complete devices Model(s) CW Series, followed by 1 or 4, followed by K or S, followed by 2, 3, 21, 31, 32 or 33, followed by A, B, C, D, E, G, H, L or Blank, followed by E, followed by 0, 1, 2 or 3, followed by 0, 1, 2 or 3.+

Slave units Model(s) HW-A, LA-A, T-Branch (LA9Z)

TW Series alternate designations, contact blocks Model(s) HW-C01-MAU, HW-C01R, HW-C01R-MAU, HW-C10-MAU, HW-C10R, HW-C10R-MAU, HW-F01-MAU, HW-F01R-MAU, HW-F10-MAU, HW-F10R-MAU, HW-G01-MAU, HW-G01R-MAU, HW-G10-MAU, HW-G10R-MAU, HW-U01, HW-U01-MAU, HW-U01R, HW-U01R-MAU, HW-U10, HW-U10-MAU, HW-U10R, HW-U10R-MAU

TW Series alternate designations, Direct Adapter Model(s) HW-GA1N

TW Series alternate designations, dummy blocks Model(s) HW-DB, TW-D

TW Series alternate designations, lamp transformers Model(s) HW-L

TWS Series (panel cutout dimensions-25mm diam) illuminated push button switches Model(s) AL*S

AL, AOL, AJL, AVL, UL or UOL, may be followed by F, G or Q, followed by S.

AOL*S

TWS Series (panel cutout dimensions-25mm diam) illuminated selector switches Model(s) ASLS, USLS

TWS Series (panel cutout dimensions-25mm diam) pilot lights Model(s) AP*W, AP*WD, APHW, APHWD, APQW, APQWD, APS, APW, APWD, APWN, UPQ*S, UPQMS, UPQS, UPQW

TWS Series (panel cutout dimensions-25mm diam) push button switches Model(s) AB*S

AB, AO, AJ, AK, AT, AV, AY, AZ, UB or UO, may be followed by F, G or Q, followed by S.

AO*S

TWS Series (panel cutout dimensions-25mm diam) selector switches Model(s) ASS

TWTD/TW Series (panel cutout dimensions-22mm diam) illuminated push button switches Model(s) AL*W, AL*WD

AL, AOL, AJL, AVL, AYL or AZL, may be followed by F, H or Q, followed by WD or W.

AOL*W, AOL*WD

TWTD/TW Series (panel cutout dimensions-22mm diam) illuminated selector switches Model(s) ASL or USL, may be followed by H, followed by WD or W.

ASL*W, ASL*WD

TWTD/TW Series (panel cutout dimensions-22mm diam) monolever switches Model(s) ARW, ARWL

TWTD/TW Series (panel cutout dimensions-22mm diam) push button switches Model(s) AB*W, AB*WD

AB, AO, AJ, AK, AT, AV, AX, AY or AZ, may be followed by F, G, H or Q, followed by WD or W.

AK*W, AK*WD, AO*W, AO*WD, AX*W, AX*WD

TWTD/TW Series (panel cutout dimensions-22mm diam) selector push button switches Model(s) ASBW, ASBWD

TWTD/TW Series (panel cutout dimensions-22mm diam) selector switches Model(s) AS*W, AS*WD, ASHW, ASHWD, ASW, ASWD

TWTD/TWT/TWND/TWN Series (panel cutout dimensions-30mm diam) illuminated push button switches Model(s) AL*D, AL*N

AL, AOL, AJL or AVL, may be followed by F or G, followed by D or N, may be followed by E.

AOL*D, AOL*N

TWTD/TWT/TWND/TWN Series (panel cutout dimensions-30mm diam) illuminated selector switches Model(s) ASLD, ASLN

TWTD/TWT/TWND/TWN Series (panel cutout dimensions-30mm diam) pilot lights Model(s) APD, APDE, APDG, APDGE, APN

TWTD/TWT/TWND/TWN Series (panel cutout dimensions-30mm diam) push button switches Model(s) AB, AO, AJ, AT, AV, AY or AZ, may be followed by F or G, followed by D.

AO*D, AVN

TWTD/TWT/TWND/TWN Series (panel cutout dimensions-30mm diam) selector push button switches Model(s) ASBD

TWTD/TWT/TWND/TWN Series (panel cutout dimensions-30mm diam) selector switches Model(s) ASD

TWTD/TWT/TWND/TWN Series (panel cutout dimensions-30mm diam) pilot lights Model(s) APNE

TWTD/TWT/TWND/TWN Series (panel cutout dimensions-30mm diam) push button switches Model(s) AB*D, AJN

YW Series connecting units Model(s) YW-CN

YW Series contact blocks Model(s) YW-E01, YW-E02, YW-E10, YW-E10R, YW-E11, YW-E20

YW Series direct adapters Model(s) YW-DE

YW Series direct units Model(s) YW-EQ

YW Series pushbuttons Model(s) YW or FW, followed by 1 or 4, followed by B, maybe followed by M, A or V, followed by 1, 2, 4 or F2, followed by E, may be followed 1, 2, 3, 4, 5 or 6, may be followed 1, 2, 3, 4, 5 or 6, followed by 1 or 2 letters.

YW Series pushbuttons, illuminated pushbuttons and pilot lights Model(s) YW or FW, followed by 1 or 4, followed by B, L or P, may be followed by M, A or V, followed by 1, 2, 4 or F2, followed by R, G, B, Y, S or W

YW Series selector switches Model(s) YW-1S2, YW-1S21, YW-1S3, YW-1S31, YW-1S32, YW-1S33, YW-4S2, YW-4S21, YW-4S3, YW-4S31, YW-4S32, YW-4S33

YW Series transformers, for pilot lights Model(s) YW-EH, YW-EH2, YW-EM, YW-EM4

- Where ## stands for two-color alternate. (e.g. RG-red/green color alternate) ### represents for three-color alternate then.

* - Where * stands for alternate model.

+ - Followed by additional numbers and letters.

Trademark and/or Tradename:



IDEC

Last Updated on 2017-11-08

[Questions?](#)

[Print this page](#)

[Terms of Use](#)

[Page Top](#)

© 2018 UL LLC

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2018 UL LLC".