



No.235DOC-0109

D1B109 Doc No. D5B055

EU Declaration of Conformity

Identification of the Product : Combination Display Light

Name and address of Manufacturer

Name and address of the authorized representative:

IDEC CORPORATION

APEM GmbH

2-6-64 Nishimiyahara, Yodogawa-Ku,

Heselstuecken 8, 22453 Hamburg, Germany

Osaka 532-0004 Japan

This declaration of conformity is issued under the sole responsibility of the manufacturer.

Object of the declaration: Series Name: LD6A Series

Model No.: Details are as per attached sheet

The object of the declaration described above is in conformity with the relevant EU harmonization

legislation:

2014/30/EU

Electromagnetic Compatibility Directive

2011/65/EU Restriction of the use of certain hazardous substances

(RoHS) Directive

Applied Union harmonized legislation and references to the relevant harmonization standards used or references the other technical specifications in relation to which conformity is declared.

EN 60947-5-1:2004/A1:2009

EN 50581:2012

Where applicable, the notified body

Additional Information:

Signed for and on be half of the above named manufacturer:

Place and date of issue:

Japan, 20 April, 2016

Japan, 1 April, 2018 (Revised)

Name, function

Atsushi Matsumoto, Executive Officer,

Quality Assurance Center

Signature

Atsus/in Matsunoto





No.235DOC-0109

Doc No.

D1B109 D5B055

20 April, 2016 1 April, 2018 (Revised) Page 1 of 2

Nomenclature

$$\frac{\text{LD}}{1} \quad \frac{6}{2} \quad \frac{\text{A}}{3} \quad - \quad \frac{3}{4} \quad \frac{\text{D}}{5} \quad \frac{\text{Z}}{6} \quad 7 \quad \frac{\text{B}}{8} \quad - \quad \frac{\text{RYGSW}}{9} \quad \frac{\text{C}}{10} \quad - \quad \frac{*******}{11}$$

1. Basic Model Designation

LD

2. Lens Size and Shape

 $6-60\times40$ Oval

3. Model Shape

A - Tower

- 4. Number of Tiers (may be followed)
 - 0 0 tire
 - 1-1 tier
 - 2-2 tiers
 - 3 3 tiers
 - 4-4 tiers
 - 5-5 tiers
- 5. Installation Method
 - D Direct Mount
 - W Wall Mount
 - G Frame Mount
 - P Pole Mount (may be shipped separately)
 - K Pole Mount without stand, L Shape Bracket may be mounted optionally (may be shipped separately)
- 6. Function

Blank – Continuous Light

- Z Continuous Light, Flicker and Buzzer
- C Continuous Light and Buzzer





No.235DOC-0109

Doc No.

D1B109 D5B055

20 April, 2016 1 April, 2018 (Revised) Page 2 of 2

- 7. Rated Voltage (may be followed)
 - Q 24 V ac/ 24 V dc
 - D 24 V dc (for continuous Light and Buzzer type)
- 8. Body Color (may be followed)
 - B Dark Gray
 - W Light Gray
 - B1 Dark Gray (for Pole Mount without stand with K1 type L Shape Bracket)
 - W1 Light Gray (for Pole Mount without stand with K1 type L Shape Bracket)
- 9. Illumination (LED) Color (may be followed by maximum ten letters)
 - R Red
 - Y Yellow
 - G Green
 - S Blue
 - W Pure White
- 10. External Lens Color (may be followed)
 - Blank Normal Lens
 - C Clear Lens
- 11. Manufacturer's Control Number (may be followed)

Any letter(s) and/or number(s)