



Application Notes

How to Convert a FT1A Touch Program to FT1J/FT2J


Launch the WindOI/NV4 software. Click on the “Application” icon and select “Open.”




In the open dialog box, select the WindO/I-NV3 Project (*.nft) file format as shown below.




Open the FT1A touch program. Click “Open.” This will take you to FT1J Product Series.




Click OK to open and convert the program from FT1A to FT1J.




Review the notes on the differences between FT1A and FT1J. Click OK to continue.




Save the project with a different file name for the FT1J program.




The program is converted successfully from the FT1A touch to the FT1J.




The FT1J part number is shown in the lower left corner.




To convert to the FT2J program, click the lower-left corner where it shows FT1J-4F1**AG-*. This will open the “Change Product Series” dialog box to select the FT2J driver.







Review the notes on converting from FT1J to FT2J.



Save the project with a new file name for the FT2J program, then click Save.



The program is successfully converted from FT1J to FT2J.



Project

- SAMPLE_FT2J
 - Base Screens
 - Popup Screens
 - Project Settings
 - Alarm Log Settings
 - Data Log Settings
 - Operation Log Settings
 - Data Storage Area Management
 - Recipe Settings
 - Data Copy Settings
 - Preventive Maintenance Settings
 - E-mail Settings
 - E-mail Address Book
 - Social Media Settings
 - File Transfer
 - FTP Server Manager
 - Sound Settings
 - User Accounts
 - Security Settings
 - Global Script
 - Script Manager
 - Picture Manager
 - Text Manager
 - Tag Editor
 - Web Page Editor
- Project
- Part Library

1 [Base Screen]

#D0000

12345

Write to

#D0001

12345

Read from

Information

Error:0 Warning:0

Type	Message
Ed	FT2J-7U22*AF-*

1: Not Use | 2: Not Use | 3: Not Use | Data Size: 202012 bytes | X: 39 | Y: 3 | Group 1 | All users

Type	Message
Ed	FT2J-7U22*AF-*

1: Not Use | 2: Not Use | 3: Not Use | Data Size: 202012 bytes