CERTIFICATE OF COMPLIANCE

Certificate Number E68961

Issued to: IDEC CORP

JAPAN, 532-0004, YODOGAWA-KU, 6-64

NISHIMIYAHARA 2-CHOME

This certificate confirms that AUXILIARY DEVICES

representative samples of See Addendum Page for Models

Have been evaluated by UL in accordance with the

Standard(s) indicated on this Certificate.

Standard(s) for Safety: UL508 - Industrial Control Equipment;

UL60947-5-1 and CAN/CSA C22.2 No. 60947-5-1 - Low-

Voltage Switchgear and Controlgear.

Additional Information: See UL Product iQ® at https://iq.ulprospector.com for

additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Customer Service at http://ul.com/aboutul/locations/



CERTIFICATE OF COMPLIANCE

Certificate Number E68961

Report Reference E68961-20200622 | lssue Date 2022-OCTOBER-06

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Products Covered	Product Designation	Nomenclature
Auxiliary Devices Open Type	HR6S-AB1C	
Auxiliary Devices Open Type	HR6S-AB1P	VII. VII. VII. V
Auxiliary Devices Open Type	HR6S-AF1C	LATLACLACIT
Auxiliary Devices Open Type	HR6S-AF1P	
Auxiliary Devices Open Type	HR6S-AK1C	
Auxiliary Devices Open Type	HR6S-AK1P	X VI X VI X VI)
Auxiliary Devices Open Type	HR6S-AT1C	
Auxiliary Devices Open Type	HR6S-AT1P	
Auxiliary Devices Open Type	HR6S-DN1C	VII. VII. VII. V
Auxiliary Devices Open Type	HR6S-DN1P	
Auxiliary Devices Open Type	HR6S-EP1C	
Auxiliary Devices Open Type	HR6S-EP1P	Mil. Mil. Mil. N
Auxiliary Devices Open Type	HR6S-S1C	M TO M TO M TO M
Auxiliary Devices Open Type	HR6S-S1P	
Safety relays (USL Only)	HR1S [a]	[a] - Followed by -AL, -AM, - AP, -AT, -AX, -ECM, followed by a four-digit number.
Safety relays (USL Only)	HR1S-AF [c]	[c] - Followed by a four-digit number, may be followed by P, may be followed by B
Safety relays (USL Only)	HR1S-AK [d]	[d] – Followed by a six-digit number, may be followed by P.
Safety relays (USL Only)	HR1S-DMB [b]	[b] - Followed by a four-digit number, may be followed by



Bruce Mahrenholz, Conformity Assessment Director

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, pleas contact UL Customer Service at http://ul.com/aboutul/locations/



CERTIFICATE OF COMPLIANCE

Certificate Number E68961

Report Reference E68961-20200622 | Issue Date 2022-OCTOBER-06

VII. VII. VII. VII. VII. V	II. VII. VII. VII.	P.
Safety relays (USL Only)	HR1S-DME [b]	[b] - Followed by a four-digit number, may be followed by P.
Safety relays (USL Only)	HR1S-AC5121	
Safety relays (USL Only)	HR1S-AC5121P	VII. VII. VII. V
Safety relays (USL Only)	HR1S-ATE5110	八十八十八十八十八十八十八十八十八十八十八十八十八十八十八十八十八十八十八十
Safety relays (USL Only)	HR1S-ATE5110P	
Auxiliary Devices Open Type, "Harmony Universal Safety Module [Both USL, CNL]	HR6S-BAC1P	X(r)(ur)(ur)
Auxiliary Devices Open Type, "Harmony Universal Safety Module [Both USL, CNL]	HR6S-BAC1C	VIIVIII

Bruce Mahrenholz, Conformity Assessment Director

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Customer Service at http://ul.com/aboutul/locations/

