


# NKCR7.E68961 - Auxiliary Devices Certified for Canada

## Auxiliary Devices Certified for Canada



See General Information for Auxiliary Devices Certified for Canada

### IDEC CORP

6-64 NISHIMIYAHARA 2-CHOME  
YODOGAWA-KU, OSAKA 532-0004 JAPAN

E68961

## Investigated to CAN/CSA C22.2 No. 14-13

**Auxiliary Device Open type Contact Blocks** Model(s) HW-U followed by 01 or 10, may be followed by R, may be followed by MAU, may be followed by additional suffixes.

**Auxiliary Device Open type Direct Adapter for illuminated models** Model(s) HW-GA1N

**Auxiliary Device Open type Dummy contact block** Model(s) HW-DB

**Auxiliary Devices** Model(s) HS1T Auxiliary Devices, Complete Assembly, Cat No. HS1T- followed by A, B, C, D, F, G, H, J, DD, VA, VB, VC, VD, VF, VG, VH, VJ, VW, VX, TA, TB, TC, TD, TF, TG, TH, TJ, XA, XB, XC, XD, XF, XG, XH or XJ, followed by 4 or 7Y, maybe followed by 0, 4 or 8, maybe followed by Z, maybe followed by L, followed by M, G, P, SM, SG, SP, maybe followed by any letter, maybe followed by 1, 2 or 3, maybe followed by additional suffixes. Auxiliary Devices, Switches without Cover, Cat No. HS1T- followed by A, B, C, D, F, G, H, J, DD, VA, VB, VC, VD, VF, VG, VH, VJ, VW, VX, TA, TB, TC, TD, TF, TG, TH, TJ, XA, XB, XC, XD, XF, XG, XH or XJ, followed by 4 or 7Y, maybe followed by 0, 4 or 8, maybe followed by Z, maybe followed by L, maybe followed by any letter, maybe followed by 1, 2 or 3, maybe followed by additional suffixes.

**Dual Pushbutton switch** Model(s) HW, followed by 7 followed by D, followed by any suffixes.

**Illuminated Pushbutton Switches** Model(s) AYL

**Mono-Lever Switch** Model(s) HW, followed by 1 or 4 followed M, followed by any suffixes. followed by 1 or 4, followed by B, followed by V or X, followed by 3, 4 or 5, may be followed by F or C or P, followed by 01, 11, 02, 21, 12, 03, 31, 22, 13 or 04, may be followed by N1, N2, N3, N4, N5, N6, N7, N8 or N9, followed by R, R-EMO, R-EMO-2, or Y, may be followed by MAU, followed by any suffixes. followed by 1 or 4, followed by B, followed by Y, followed by 2, may be followed by F or C or P, followed by 01, 11 or 02, may be followed by N1, N2, N3, N4, N5, N6, N7, N8 or N9, followed by R or Y, may be followed by MAU, followed by any suffixes.

HW-CN may be followed by P, followed by 10, 01, 11, 20, 21, 22, 02, 30, 12, 03, 40, 31, 13, 04, 50, 41, 32, 23, 14, 05, 60, 51, 42, 33, 24, 15, 06, 1S, 2S, 5S, 6S, 7S, 8S, 9S or other alphanumeric characters, may be followed by \*\*\*\*\*.

**Pilot light units** Model(s) HW may be followed by 1 or 2, may be followed by P, may be followed by 1 or 2, followed by J, may be followed by P, followed by Q, RH or CM, may be followed by 0, 2, 3 or 4, H2, M2 or M4, may be followed by one to three letters, may be followed by additional letter(s) and/or number(s), including hyphens

**Pushbutton switch or Illuminated Pushbutton Switch** Model(s) HW, followed by 1, 2, 3 or 4 followed by B or L, followed by any suffixes.

**Pushbutton Switches** Model(s) AZN

**Selector Pushbutton Switches** Model(s) ASBN

**Selector Switch** Model(s) HW, followed by 1, 3 or 4 followed by S, K or R, followed by any suffixes.

## Investigated to CAN/CSA C22.2. No. 14-10

**AS-interface fail-safe monitors** Model(s) SX5A-MBR01, SX5A-MBR02, SX5A-MBR03, SX5A-MBR04

**AS-interfaces** Model(s) FL1B-CAS2

**Auxiliary devices, Complete Assembly** Model(s) Complete Assembly HS5L- followed by A, B, C, D, F, G, H, J, DD, VA, VB, VC, VD, VF, VG, VH, VJ, VW, VX, TA, TB, TC, TD, TF, TG, TH, TJ, XA, XB, XC, XD, XF, XG, XH or XJ, followed by 4 or 7Y, maybe followed by 0 or 4, maybe followed by L, maybe followed by 01 to 99, followed by M, SM, SG, SP, SR or SL, maybe followed by any letter, maybe followed by 1, 2 or 3, maybe followed by additional suffixes.

**N/TWN Series (panel cutout dimensions-30mm diam) selector push button switches** Model(s) ABN may be followed by 6, 7 or 9, may be followed by L.

**N/TWN Series (panel cutout dimensions-30mm diam) selector switches** Model(s) ASN, ASTN

**Pilot Light with or without Transformer** Model(s) Type HW?P, HW1P-5Q4, HW1P-5Q7.

**Pilot Light, complete devices, "YW/FW SERIES"** Model(s) FW F/B By 1 or 4 followed by P maybe be followed by 1, 1B, 2, 2T, or 2TB maybe followed by E or U followed by Q, H, M, H2 or M2 followed by 0, 2, 3, 4, 5, 6, 7, H, H2, M, M3, or M4 maybe followed by additional numbers and of letters.

YW F/B By 1 or 4 followed by P maybe be followed by 1, 1B, 2, 2T, or 2TB maybe followed by E or U followed by Q, H, M, H2 or M2 followed by 0, 2, 3, 4, 5, 6, 7, H, H2, M, M3, or M4 maybe followed by additional numbers and of letters.

**Pilot lights (panel cutout dimensions-30mm diam), "N/TWN Series"** Model(s) APN, APNE

**Push button switches** Model(s) XN, followed by 4, followed by S, may be followed by B, L or T, followed by L, followed by 4, followed by 0 thru 3, followed by 1 thru 4, may be followed by Q1 thru Q4, followed by M or Mf, followed by R, RH, N, Y, B, G, W or S.

XW1E or XA1E, followed by -BV, -LV or -TV followed by 3 or 4, followed by 0 thru 3, followed by 1 thru 4, may be followed by Q4, Q3, Q2 or Q1, may be followed by V, followed by R, N, Y, B, G, W or S.

**Push buttons, "XN Series"** Model(s) Model XN followed by 1, 4, or 5, followed by E, followed by B, L, or T, followed by V, L, or D, followed by 4, or 5, followed by 0, 1, 2, or 3, followed by 1, 2, 3, or 4, may be followed by Q1, Q2, Q3, or Q4, followed by M, or MF, followed by R, R-EMO, RH, RH-EMO, N, Y, B, G, W, or S, may be followed by optional letters and/or numbers that may employ hyphens

XN Series Model XN, followed by 1, 4, or 5, followed by E, followed by B, L, or T, followed by V, L, or D, followed by 4, or 5, followed by 0, 1, 2, or 3, followed by 1, 2, 3, or 4, may be followed by Q1, Q2, Q3, or Q4, followed by M, or MF, followed by R, R-EMO, RH, RH-EMO, N, Y, B, G, W, or S, may be followed by optional letters and/or numbers

**Push buttons, "XW Series"** Model(s) Model XW1E followed by BV, LV, or TV, followed by 3, 4, 5, or 4T, may be followed by G, followed by 0, 1, 2, or 3, followed by 1, 2, 3, or 4, may be followed by Q1, Q2, Q3, or Q4, followed by M, or MF, followed by R, R-EMO, RH, RH-EMO, N, Y, B, G, W, or S, may be followed by optional letters and/or numbers that may employ hyphens

**Push buttons** Model(s) Contact Unit Model XW-C may be followed by T, followed by 0, 1, or 2 or 3, followed by 1, 2, 3, or 4, may be followed by Q1, Q2, Q3 or Q4, followed by M or MF, may be followed by R, may be followed by optional letters and/or numbers that may employ hyphens

XN Series, Model XN, followed by 1, 4, or 5, followed by E, followed by B, L, or T, followed by V, L, or D, followed by 4, or 5, followed by 0, 1, 2, or 3, followed by 1, 2, 3, or 4, may be followed by Q1, Q2, Q3, or Q4, followed by M, or MF, followed by R, R-EMO, RH, RH-EMO, N, Y, B, G, W, or S, may be followed by optional letters and/or numbers

XW Series, Model XW1E, followed by BV, LV, or TV, followed by 3, 4, 5, or 4T, may be followed by G, followed by 0, 1, 2, or 3, followed by 1, 2, 3, or 4, may be followed by Q1, Q2, Q3, or Q4, followed by M, or MF, followed by R, R-EMO, RH, RH-EMO, N, Y, B, G, W, or S, may be followed by optional letters and/or numbers

**Pushbutton Switches** Model(s) AYN

**Pushbutton Switches, Illuminated Pushbutton Switches, complete devices, "YW/FW SERIES"** Model(s) FW followed by 1 or 4, followed by B or L, followed by M, A or V, followed by 1, 2, 4 or F2, followed by E, followed by 0, 1, 2, 3, 4, 5 or 6, followed by 0, 1, 2, 3, 4, 5 or 6, maybe followed by Q, maybe followed by 0, 2, 3, 4, 5, 6, 7 H, H2, M, M3 or M4 maybe followed by additional numbers and or letters.

YW followed by 1 or 4, followed by B or L, followed by M, A or V, followed by 1, 2, 4 or F2, followed by E, followed by 0, 1, 2, 3, 4, 5 or 6, followed by 0, 1, 2, 3, 4, 5 or 6, maybe followed by Q, maybe followed by 0, 2, 3, 4, 5, 6, 7 H, H2, M, M3 or M4 maybe followed by additional numbers and or letters.

**S Series (panel cutout dimensions-25mm diam) illuminated push button switches** Model(s) ABLS, ALLS

**S Series (panel cutout dimensions-25mm diam) pilot lights** Model(s) APS, UPQS

**S Series (panel cutout dimensions-25mm diam) push button switches** Model(s) ABBS, ATS, UTS

**Safety switches** Model(s) HS1B+, HS1C+, HS1C-P+, HS1E+, HS1L+, HS1P+, HS2B+, HS2P-1M+, HS5B+, HS5D+, HS6B-02, HS6B-03, HS6B-11, HS6B-12

**Select or Switch, Key Selector Switch, complete devices, "YW/FW SERIES"** Model(s) FW followed by 1 or 4 followed by S or K, followed by 2, 3, 21, 31, 32, or 33 followed by A, B, C, D, E, G, H, or Blank followed by E, followed by 0, 1, 2, 3, 4, 5 or 6, followed by 0, 1, 2, 3, 4, 5 or 6 maybe followed by additional numbers and or letters.

YW followed by 1 or 4 followed by S or K, followed by 2, 3, 21, 31, 32, or 33 followed by A, B, C, D, E, G, H, or Blank followed by E, followed by 0, 1, 2, 3, 4, 5 or 6, followed by 0, 1, 2, 3, 4, 5 or 6 maybe followed by additional numbers and or letters.

**Slave units** Model(s) HW-A, LA-A, T-Branch (LA9Z)

**TW Series alternate designations, contact blocks** Model(s) HW-C01-MAU, HW-C01R, HW-C01R-MAU, HW-C10-MAU, HW-C10R, HW-C10R-MAU, HW-F01-MAU, HW-F01R-MAU, HW-F10-MAU, HW-F10R-MAU, HW-G01-MAU, HW-G01R-MAU, HW-G10-MAU, HW-G10R-MAU, HW-U01, HW-U01-MAU, HW-U01R, HW-U01R-MAU, HW-U10, HW-U10-MAU, HW-U10R, HW-U10R-MAU

**Auxiliary Devices** Model(s) HR5S-C2 , followed by B, D-T025, D-T050, D-T100, D-T200, D-T400 or S.

HW-DP, HW-PAQ2, HW-PAQ3, HW-PAQ4

**LED Lamp** Model(s) LSRD-1, LSRD-2, LSRD-6, LSRD-H2, LSRD-M2, LSRD-M4

## Investigated to CAN/CSA-C22.2 No.60947-1-13 and CAN/CSA C22.2 No.60947-5-1-14

**Auxiliary Devices Open Type** Model(s) HR6S-AB1C, HR6S-AB1P, HR6S-AF1C, HR6S-AF1P, HR6S-AK1C, HR6S-AK1P, HR6S-AT1C, HR6S-AT1P, HR6S-DN1C, HR6S-DN1P, HR6S-EP1C, HR6S-EP1P, HR6S-S1C, HR6S-S1P

### Investigated to

**HW Series alternate designations, contact blocks** Model(s) HW-P followed by 01, 10, 01R, 10R, followed by suffixes, may be followed by MAU

# - Where ## stands for two-color alternate. (e.g. RG-red/green color alternate) ### represents for three-color alternate then.

\* - Where \* stands for alternate model.

+ - Followed by additional numbers and letters.

Trademark and/or Tradename:         
**IDEC**

Last Updated on 2020-06-22

このデータベースに企業名や製品が掲載されている場合でも、掲載された製品がULのフォローアップサービスに基づいて製造されたことを保証するものではありません。ULの認証並びにフォローアップサービスによる確認を受けているとみなされるのは、ULマークが表示された製品のみです。常に製品にULマークが表示されているかご確認ください。

オンライン認証製品ディレクトリーに掲載される資料の転載は、以下の条件を満たす場合にのみ認められます。1.ガイド・インフォメーション（製品カテゴリーガイド）、アセンブリ、構造、設計、システム、および/または認証に関する情報（ファイル）が、誤解を招かない方法で、データや図面の変更を一切行うことなく、そのまま掲載されていること。2.転載された資料に隣接して、「Reprinted from the Online Certifications Directory with permission from UL」（ULの許可を得た上で、オンライン認証製品ディレクトリーから転載）」と記載すること。転載する資料には、著作権に関して次の形式で記載すること。"© 2020 UL LLC"